

ENHANCED SNAKE PLAIN AQUIFER MODEL FINAL REPORT

July, 2006

D. M. Cosserve, B. A. Contor, G. N. Johnson Edaho Warer Resources Resourch Institute, University of Idaho

for the Resources of Water Resources

with guidance from the Bastern Smake Hydrologic Modeling Committee

> Island Water Resources Research Smithste Technical Report 06-002



Alegha Baston Saste Plain Aquifer blocket Enhancement Project Legislature Scenario Document Fumber Dista-619

Bryce Contor IWRRI

ESHMC Meeting January 2011

Basic Principles

- Use ESPAM1.1 report as a framework
- Only change what needs to be changed
- IWRRI will write the draft (mostly)
- ESHMC and IDWR will review
 - circulated as "track changes" *.doc
- IDWR will be the author of the report
 - final product will be "track changes" and "changes accepted" versions

" ENHANCED·SNAKE·PLAIN·AQUIFER·MODEL¶

 $\underline{\mathit{VERSION} \cdot 2.0} \P$

 $\cdot \mathit{FINAL} \cdot \mathit{REPORT} \cdot \P$

July, 2006March, 2011

By D. M. Cosgrove, B. A. Contor, G. S. Johnson-Idaho Water Resources Research Institute, University of Idaho ¶

for the Idaho Department of Water Resources ¶

with guidance from the Eastern Snake Hydrologic Modeling Committee ¶

daho-Witer-Resources-Research Institute-Technical Report 6-002-¶





Haste nake Plain, équiter Model Hibancement troject Scenario, Document Nimber DDM-0

A be trace t	
***************************************	.1.12 Jacob State Company
×	2. The Rade of the Harton Study Hydr
	Modeling Committee
	-5.1
	History
Hydro gool	A Sunface of Sunface o
Husba la ar	10 Grand Wate Grant
	Hydrals gr 13.
Description	18Go versing Equations and
Discre	
	Discretistics .21.
	Gril
	- 14. Madal Berndara Cari
	24 Goography Bernday Care
Conditions	77 Holinds gi. Ben 29 MODELOW Reproductions of Head Dop
	Barmdarine 30 E PAM Hoad Dapondon
I	Samularios 31. Hoad-Doppedont Spring Ropposes
The state of	33- Specifie 35- Underflessefiere Februare
20 10 12 12 1	35.Dore had
Soopa	p 36Imignius Compan
Page 140	
	.75
Uro	39 Hetination of Foclar yn Diec
	41-Rocker pine lin
Mir	
Water	47. Samos afilm 50. Robustian for Man-Irrigated Inc.
- 10-114	. 14. A sero a tiam of Caral Companies into Surface Water H
	. 10. Conferen
	Implies (1.6s)
	Okerstore
	(S. Var. Bay Larger Boye. Co.
	Intention 7. Grand. Web Grand
77-10	100 to 10
Undostle vr	74. Here d. De int Dr.
***************************************	74.065. Site Georgel, Wester Ground
	Demoning TO Deve lead River See

The report is BIG

- We chopped it into pieces
- Allan will do the calibration section
- We haven't started on the figures and tables

- Many of the other pieces have already been distributed for review
 - Allan W. and John K. have returned comments
 - Unless we get overwhelmed:
 - Individual e-mail response to each comment
 - e-mails posted on IDWR website for the curious

Name A	Size	Type
AllansDrainStuff		File Folder
💾 🛜 Calibration_Section		File Folder
CropMixStuff		File Folder
		File Folder
Comparison of the comparis		File Folder
≧ Returns		File Folder
Review_201101		File Folder
		File Folder
□ Wylie_Review		File Folder
■ PPENDIXB_20101112.doc	38 KB	Microsoft Wo
■ CROPMIX_20101112.doc	30 KB	Microsoft Wo
ENDING_20101112.doc	32 KB	Microsoft Wo
SPAM1.1_ModelOverview18_TrackChanges_PDF.doc	358 KB	Microsoft Wo
₽ ET_20101112.doc	33 KB	Microsoft Wo
FinalReport_ESPAM1_1_download20101109.doc	6,190 KB	Microsoft Wo
FinalReport_ESPAM1_1_download20101109.pdf	559 KB	Adobe Acrob
Heading_Hierarchy_20101119.doc	19 KB	Microsoft Wo
PHYDROGEO_20101112.doc	44 KB	Microsoft Wo
INTRO_20101112.doc	99 KB	Microsoft Wo
IRRIGATION_FOR_REVIEW_20101111.doc	40 KB	Microsoft Wo
IRRIGATION_FOR_REVIEW_20101112.doc	42 KB	Microsoft Wo
IRRIGATION_FOR_REVIEW_ChangesAccepted_20101111.doc	36 KB	Microsoft Wo
ELAND_USE_FOR_REVIEW_20101109.doc	27 KB	Microsoft W
ELAND_USE_FOR_REVIEW_20101109.wjk.doc	28 KB	Microsoft Wo
MODEL_I_20101112.doc	78 KB	Microsoft Wo
MODEL_II_20101112.doc	59 KB	Microsoft Wo
PerchedSeepageForStaceyReview20101118.doc	32 KB	Microsoft Wo
PerchedSeepageForStaceyReview20101118_sttrackchanges.doc	40 KB	Microsoft Wo
PRECIP_20101112.doc	30 KB	Microsoft Wo
REFERENCES_20101112.doc	44 KB	Microsoft Wo
RIVERSTAGE_FOR_REVIEW_20101111.doc	28 KB	Microsoft Wo
WATERBUDG_I_20101112.doc	37 KB	Microsoft Wo
WATERBUDG_II_20101112.doc	67 KB	Microsoft Wo
WATERBUDG_III_20101112.doc	59 KB	Microsoft Wo
WATERBUDG_IV_20101112.doc		Microsoft Wo
WATERBUDG_IV_20110103_superceded.doc		Microsoft Wo

Introduction. # A Background and Study Objectives ... INTRO CYYYYMMOD, doc AB Project Scope The Role of the Eastern Snake Hydrologic Modeling Committee L D ESPAM Version Study Area Description Model History ... Hydrogeology. HYDROGEO-CYYYYMM DD), LOL Geologic Framework.......... Surface-Water Hydrology ... III C Ground-Water Hydrology ... Model Description..... TVA Governing Equations and Model Code .. Discretization Spatial Discretization . TOB & Model Grid Model Layers . 176 Temporal Discretization .. Nodel Boundary Conditions .. D > Geographic Boundary Conditions DF Hydrologic Boundary Conditions MODFLOW Representation of Head-Dependent Boundaries. ESPAM Head-Dependent River Boundaries Head-Dependent Spring Representation 2 Specified Flux Boundaries .. Qunderflow from Tributary Basins... Perched River Seepage ... & Irrigation Conveyance Loss. Model Initial Conditions WATER BUDG-I- LYYLY HAM OD) dwel Model Water Budget ... A Land Use A.... B Estimation of Recharge/Discharge 1 Recharge on Irrigated Lands TRRIGATION FOIL REVIEW < YYYYMMDD), doe we have constituted and the control of th Evapotranspiration ... ET CYYYY MM OD ... doc WATERBUCK - II - (YYYY MM DD) LOZ & Source of Irrigation Water .. Reduction for Non-Irrigated Inclusions Aggregation of Canal Companies into Surface Water Entities Delineation of Ground Water Irrigation Polygons Method of Irrigation Application ... & Surface Water Irrigation. (1) Irrigation Diversions. (6) Irrigation Return Flows .. Ca Conveyance Loss Wet Recharge from Surface Irrigation .. J Ground Water Irrigation ... Tributary Underflow. Recharge on Non-Irrigated Lands ... WATER BUDG-IV- (YYYYMM OB) Fixed Point Pumping ... Off-Site Ground Water Pumping... Perched River Seepage ..

I	Steady-State Model Water Budget	00
-	77 Transient Model Water Budget	90
VI	Steady-state Wood: Water Budget Model Calibration Model Calibration Tools	90
No. of Lot		
	Privat (tain/Loss Campration Largets	
	Spring Discharge Calibration Targets	200
	Aguifer Water Level Calibration Targets	0.6
	Initial Steady State Calibration	0.00
	Steady-State Calibration Data	200000000000000000000000000000000000000
	2Steady-State Calibration Procedure.	98
	2 Steady-State Calibration Procedure Coupled Steady State/Transient Calibration Transient Calibration Data CALIB - < YYYYMN	100
	1 Transient Calibration Data CALIB - YYYYMN	DAD.
	*Coupled Steady State/Transient Calibration Procedure	101
	G Steady State Calibration Model Fit	103
	H Transient Calibration Model Fit	104
	Comparison of Simulated and Observed Transient Heads	104
	2 Comparison of Simulated and Observed River Reach Gains	105
	3 Comparison of Simulated and Observed Spring Discharges	106
	4Calibrated Model Parameters	107
	Aquifer Transmissivity	107
	⊌ Aquifer Storage	108
	CDrain Elevation	108
	Model Limitations Related Reports PNOING CYYYY MM PD	110
II	Related Reports PDING_ CYYYY MM PD	2.49
TIL	Summary and Conclusions	111
TX	Summary and Conclusions	115
THE REAL PROPERTY.	Tables in main document.	T-1
	Table 1. Managed recharge volumes for eastern Snake River Plain.	T-2
	Table 2. Start and end date for model stress periods. Irrigation season stress periods start	T-3
	Table 5. List of tributary basins	-0 T-LI
	Table 5. List of tributary basins. Table 6. List of perched non-Snake River reaches. TABLES - I - KYNYMWDD).	T-12
	Table 8. Six-year average of measured lysimeter winter ET for Kimberly, Idaho	T-14
	Table 9. Calculated Winter-Time ET Rates, Feet Per Month	
	Table 10. Irrigation Entity Table	T-16
	Table 11. Sprinkler ratios used for interpolation between specific years.	T-20
	Table 12. Measured Return Flow Sites.	T-22
	Table 13. Assignment of return flows, diversions to surface water entities.	T-24
	Table 14 Estimated return flow lags for the ten groups of surface irrigation entities	-27
	Table 15. Normalized annual Silver Creek flows. Table 16. Minor land use types. Table 17. Apportionment of Mud Lake fixed point pumpage.	T-29
	Table 16 Minor land use types (TARLES - II - (YYYY MMDD)	1-30
	Table 17 Apportionment of Mud Lake fixed point sumpage	T-31
	Table 18. Fixed point pumpage by stress period (ac-ft/stress period).	T-32
	Table 19. Evapotranspiration-indexed scale used to vary off-site pumping rates.	T-33
	Table 20. Off-site well pumping for each model stress period (acre-ft per stress period)	T-34
	Table 21. Annual spring discharge (north side only in the Milner to King Hill reach	T-35
	Table 22. Estimated spring discharge by sub-reach in the Milner to King Hill reach	T-36
	Table 23. Model cells representing individually measured or estimated springs.	T-37
	Table 24. Summary of spring discharge calibration target data.	T-38
	Table 24. Summary of spring discharge cambration target data.	T-39
	Table 25. Steady state river gain and spring calibration targets and model predictions.	T-40
	Table 26. Eastern Snake Plain Aquifer Model Enhancement Design Document Topics.	A-1
T. H.		
	Appendix A—Appendix Tables	A-2
	Table A-1. List of tributary basins and associated model cells.	A-2
	Appendix A — Appendix Tables Table A-1. List of tributary basins and associated model cells. Table A-2. List of Perched reaches and associated model cells.	
	Table A-2. List of Perched reaches and associated model cells.	
		A-8

